



# Receiving scale

## EQB-W SERIES

Model:  
**EQB-50/100-W**  
**EQB-100/200-W**



### Product features

- LED display with backlight
- Heavy duty platform
- Robust stainless steel construction
- Hermetically sealed display
- Toggles between kilograms and pounds
- Tare function
- RS 232 serial communication

### Product highlights



Electronic scale 100 % accurate



Practical and portable



Large solid platform

### Certifications



### Warranty






# Receiving scale

## EQB-W SERIES

### Dimensions



#### Keypad Overview

- 1- TARE
- 2- ZERO
- 3- UNITS MEASSURE SWITCH KEY
- 4- LCD BACKLIGHT ON/OFF
- 5- ON
- 6- OFF
- 7- PRINT KEY

### Technical specifications

#### Dimensions

<b>External dimensions</b>	W: 15" D: 23.25" H: 23"
<b>Packaging dimensions</b>	W: 24.40" D:19.29" H: 7.87"
<b>Gross weight</b>	39.06 lb.
<b>Shipping Weight</b>	43.20 lb.
<b>Plate dimensions</b>	W: 15.00" D: 19.00" H: 2.50"

#### Construction

<b>Scale Construction</b>	Food grade stainless steel
<b>Platform Construction</b>	Food grade stainless steel
<b>Plate holder material</b>	High strength reinforced plastic
<b>Leveling feet</b>	4

#### Logistic data

<b>Units per pallet</b>	24
<b>Weight per pallet</b>	817 lb.
<b>Dim. per pallet</b>	44.88" X 48.03" X 55.81"

#### Electrical data

<b>Power supply</b>	110/220VAC - 9VDC 500mA
<b>Battery</b>	Rechargeable Battery 6V, 950mA/h
<b>Battery Life</b>	100 Hours (no backligh) Aprox 6
	Hours (Suspend mode)
<b>Charging time</b>	12 Hours
<b>Display</b>	LCD with Backligh

#### Performance data

<b>Capacity</b>	100 lb / 200 lb
<b>Minimal division</b>	0.02 lb / 0.05 lb
<b>Maximum tare</b>	100 lb / 200 lb
<b>Operation temperature</b>	14°F to 104°F (-10°C to 40°C)
<b>Storage temperature</b>	-4°F to 122°F (-20°C to 50°C)

#### Additional data

<b>Connectivity</b>	RS232 Serial
<b>Software PC available</b>	Software scale
<b>Accuracy Class</b>	III
<b>Warranty</b>	1 year